Product Specification Sheet





4kW Air Conditioner / Spot Cooler

Portable and easy to use, our 4kW Air Conditioning Unit is a highly effective temporary cooling unit for areas up to 40m², with the ability to be quickly configured into a miniature spot cooler for targeting cooling. Fully self-contained, with a small footprint, this energy efficient AC unit is perfect for fast deployment, equipped with: 1.5 metres of exhaust ducting for hot air extraction, Capability to work with 6m of ducting, Powerful compressor, User friendly control panel, Three-speed fan, Timer function, 230V domestic plug. This highly versatile unit also has settings for heating, able to reach temperatures up to 25°C, and dehumidifying, able to extract up to 2.9 litre/hr from the air. This allows this machine to be used all year round, adapting to changing environments.

16-07-2025 | 11:28:42

EL-BJORN UK LTD Unit 2 Oyster Park, 109 Chertsey Road, West Byfleet, GB-Surrey, KT14 7AX Phone: (+44) 01483 729 348 E-mail: info@elbjorn.com



Product Benefits

- Cooling, heating and dehumidification capabilities
- Works up to 6m exhaust hose & cooling hose
- 3-speed fan
- Suitable for areas up to 40m²
- Operating temperature: 16-32 degrees centigrade
- Quiet running

Technical Data

Product name	4kW Air Conditioner / Spot Cooler
Product Number	GB80024
Cooling Capacity	4 kW
Heating Capacity	4 kW
Weight	30.5 kg
Dimensions H x W x D	760 x 300 x 550 mm
Suitable Area	40 m²
Operating Range	16-32 °C
Noise level	65 dB(A)
Air flow	450 m³/h
Fan Stages	3
Refrigerant	R290
Dehumidification Capacity	70 litres/24 hours
Discharge Hose	1.5 m / Ø 150 mm

16-07-2025 | 11:28:42

EL-BJORN UK LTD Unit 2 Oyster Park, 109 Chertsey Road, West Byfleet, GB-Surrey, KT14 7AX Phone: (+44) 01483 729 348 E-mail: info@elbjorn.com



Current	7.6 A
Voltage	230 V
Power	1700 W
Power Consumption	1.7 kWHr
Plug	13A 230V plug

16-07-2025 | 11:28:42

EL-BJORN UK LTD

Unit 2 Oyster Park, 109 Chertsey Road, West Byfleet, GB-Surrey, KT14 7AX Phone: (+44) 01483 729 348 E-mail: info@elbjorn.com

