## **Product Specification Sheet**





## 6.7kW Water Cooled Split Unit

The single fan, 6.7kW Water Cooled Air Conditioning Split Unit, has been designed for a fast and easy installation and start-up for temporary environments. Featuring a freestanding indoor unit, able to rapidly cool large volumes of air by utilising the 3-speed fan outlet at the front of the unit, ideally suited to cool large office areas, data centres and workspaces. Supplied with quick couple hoses, this high-capacity portable system is provided with an external unit that can be positioned up to 30m away from the indoor unit.

The unit operates by using a self-contained chilled water system, absorbing hot air to create a pleasant climate in a very short amount of time. The unit is fitted with a thermostat to regulate the local air temperature, capable of operating to a set point of 10°c.

13-08-2025 | 13:18:20



E-mail: info@elbjorn.com

## **Product Benefits**

- Large volume air movement
- Fast installation and set-up
- 3 speed fan outlet
- Suitable for areas up to 70m<sup>2</sup>

## **Technical Data**

Product name	6.7kW Water Cooled Split Unit
Product Number	GB80011
Cooling Capacity	6,7 kW
Weight (indoor unit)	86 kg
Weight (outdoor unit)	16.5 kg
Dimensions H x W x D (indoor unit) (mm)	1020 x 815 x 360
Dimensions H x W x D (outdoor unit) (mm)	460 x 650 x 320
Suitable Area	70 m²
Operating Range (indoor unit)	8-35 °C
Operating Range (outdoor unit)	0-35°C
Noise level (indoor unit)	47 - 52 - 59 dB(A)
Noise level (outdoor unit)	52 dB(A)
3 Air flow settings	1150 - 1400 - 1500 m³/h
Refrigerant	R-410A (2088g)

13-08-2025 | 13:18:20



13-08-2025 | 13:18:20

