

# Product Specification Sheet



## 60kVA Stage V Generator

The HRFW-60 is one of our medium sized Stage V Diesel Generator, producing a total power output of 59kVA, fitted with 1 x 16A 230V 2P+E, 3 x 32A 400V 3P+N+E, 1 x 63a 400V 3P+N+E sockets and a 216ltr internal bunded fuel tank for short term power generation (recommended to be used with additional bunded fuel tank for continuous use). Our Stage V Diesel Generators have been specifically designed to be compliant with EU Regulation 2016/1628/CE. Using a sophisticated built in exhaust treatment system, these generators clean the fumes expelled by the engine before they are released into the atmosphere. This process provides a reduction of up to 90% of environmentally hazardous gases and particles compared to previous technology. This generator is perfectly suited as a temporary power source for medium sized projects on construction sites, temporary work spaces, industrial areas and events venues with access to outside space.

21-03-2025 | 19:35:59

### EL-BJORN UK LTD

Unit 2 Oyster Park, 109 Chertsey Road,  
West Byfleet, GB-Surrey, KT14 7AX  
Phone: (+44) 01483 729 348  
E-mail: info@elbjorn.com



## Product Benefits

- 60kVA Stage V Diesel Generator
- Fuel Consumption at 70% PRP: 9.8 L/H
- Dimensions: (L)2660 x (W)1110 x (H)1600 (mm)
- Weight: 1690 (kg)
- 216ltr Metal Bunded Fuel Tank
- Socket Pack: 1 x 16A 230V 2P+E, 3 x 32A 400V 3P+N+E, 1 x 63a 400V 3P+N+E

## Technical Data

|   |  |
|---|--|
| Product name                                  | 60kVA Stage V Generator                    |
| Product Number                                | GEN060SV                                   |
| Power Output                                  | 59kVA                                      |
| Fuel Consumption at 100% PRP                  | 13.5 L/H                                   |
| Fuel Consumption at 70% PRP                   | 9.8 L/H                                    |
| Noise Level at 7m                             | 62 dB(A)                                   |
| Generator Dimensions L x W x H (mm)           | 2660 x 1110 x 1600                         |
| Weight with liquids in radiator and sump (kg) | 1690                                       |
| Internal Metal Bunded Fuel Tank               | 216ltr                                     |
| Engine  | Iveco - Stage V Diesel Engine              |
| Filter  | Racor filter with alarm                    |
| Alternator                                    | Stamford Alternator - UCI224E              |
| Breaker                                       | Schneider 4P 80AMP Type 'D' Manual Breaker |

21-03-2025 | 19:35:59

### EL-BJORN UK LTD

Unit 2 Oyster Park, 109 Chertsey Road,  
West Byfleet, GB-Surrey, KT14 7AX  
Phone: (+44) 01483 729 348  
E-mail: info@elbjorn.com



Fuel Valve

3 Way

Socket Pack

1 x 16A 230V 2P+E, 3 x 32A 400V  
3P+N+E, 1 x 63a 400V 3P+N+E

Frequency

50Hz

Control Panel

DSE890 Gateway & Antenna

21-03-2025 | 19:35:59

**EL-BJORN UK LTD**

Unit 2 Oyster Park, 109 Chertsey Road,  
West Byfleet, GB-Surrey, KT14 7AX  
Phone: (+44) 01483 729 348  
E-mail: info@elbjorn.com

