## **Product Specification Sheet**





## TF72 EBC

A high-performance, energy-efficient, commercial heating fan, designed to maximise the throw of warm air to its given environment. The TF72 is the largest and most powerful heater in our range. Featuring two power settings; 36 kW / 72 kW, the TF72 is able to maintain a constant temperature in areas up to 1500m² through a sheet metal air distributor that spreads the air in 360 degrees of direction. Robust, practical and lightweight the TF72 is constructed with galvanised sheet steel and finished with a corrosion-resistant powder coating, making it easy to maintain and reposition when needed. Operated through a user-friendly digital control panel mounted on the front of the machine, allowing you to easily change the temperature and fan speed of the unit.

TF 72EL is the ideal heating unit for use in large open areas such as constructions sites, industrial areas, event spaces, warehouses, retail shops, workshops, and similar areas.











01-08-2025 | 01:08:53



Unit 2 Oyster Park, 109 Chertsey Road, West Byfleet, GB-Surrey, KT14 7AX Phone: (+44) 01483 729 348

E-mail: info@elbjorn.com



## **Product Benefits**

- Electronic thermostat for room temperature control
- High temperature increase and large air flows for maximum energy efficiency
- G4 standard filter
- Two filters for consistent, high-volume air flow
- Air distributor spreads air around the room and gives 360-degree coverage

## **Technical Data**

Product name	TF72 EBC
Product Number	EB14647
Plug type	5-pol/400V 125A CEE 4125-6
Rated current	110 A
Voltage	3N~400V V
Total thermal power	72 kW
Output modes	36-72 kW
Air flow	7900/6454 m³/h
Temperature increase	40/47 °C
Noise level	69/63 dB(A)
Weight tot	180 kg
Weight top	72 kg
Weight bottom	96,5 kg
Weight distributor	11,5 kg

01-08-2025 | 01:08:53



Dimensions exkl. distributor H x W x D (mm)	1400 x 740 x 1110
Dimensions incl. distributor H x W x D (mm)	2250 x 740 x 1110
Protection class	IP44
Seasonal average efficiency (?s)	36%

01-08-2025 | 01:08:53

