Product Specification Sheet





TF9 EBC

An energy-efficient, commercial heating fan, designed to maximise the throw of warm air to its given environment. Featuring two power settings; 4.5kW / 9kW, The TF9 EBC is equipped with three adjustable ejectors, able maintain a constant temperature in areas up to 175m². Robust, practical and lightweight the TF9 EBC is constructed with galvanised sheet steel and finished with a corrosion-resistant powder coating, making it easy to maintain and reposition when needed. Operated through a user-friendly digital control panel mounted on the front of the machine, allowing you to easily change the temperature and fan speed of the unit.

TF9 is the ideal heating unit for use in smaller open areas or in combination with our TF18 units for use in constructions sites, industrial areas, event spaces, warehouses, retail shops, workshops, and similar areas.











28-08-2025 | 08:50:57



Unit 2 Oyster Park, 109 Chertsey Road, West Byfleet, GB-Surrey, KT14 7AX Phone: (+44) 01483 729 348

E-mail: info@elbjorn.com



Product Benefits

- Electronic thermostat for room temperature control
- High temperature increase and large air flows for maximum energy efficiency
- G4 standard filter
- Automatic cool-down extends product life
- Lockable, password-protected display

Technical Data

| Product name | TF9 EBC |
|---|--------------------------|
| Product Number | EB14640 |
| Plug type | 5-pol/400V 16A CEE 416-6 |
| Rated current | 13 A |
| Voltage | 3N~400V V |
| Total thermal power | 9 kW |
| Output modes | 4.5-9 kW |
| Air flow | 1000/1500 m³/h |
| Noise level | 54/61 dB(A) |
| Weight total | 32.5 kg |
| Weight top | 16 kg |
| Weight bottom | 16,5 kg |
| Dimensions excl. distributor H x W x D (mm) | 700 x 440 x 460 mm |
| Dimensions incl. distributor H x W x D | 940 x 440 x 460 mm |

28-08-2025 | 08:50:57



| Protection class | IP44 |
|----------------------------------|------|
| Seasonal average efficiency (?s) | 36% |

28-08-2025 | 08:50:57

